PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5: A01N 65/00 // (A01N 65/00 A01N 65/00, 59/02, 31/02)

(11) International Publication Number: A1

WO 90/14012

(43) International Publication Date:

29 November 1990 (29.11.90)

(21) International Application Number:

PCT/EP90/00744

(22) International Filing Date:

9 May 1990 (09.05.90)

(30) Priority data:

67369 A/89

19 May 1989 (19.05.89)

IT

(71) Applicant (for all designated States except US): OFFICINA FERRARI S.N.C. DI CARLO E MARIO FERRARI & C. [IT/IT]; Via Goito, 29, I-10042 Nichelino (IT).

(72) Inventor; and

(75) Inventor/Applicant (for US only): FERRARI, Carlo [IT/ IT]; C.so Roma, 14/1, I-10024 Moncalieri (IT).

(74) Agents: ROBBA, Eugenio et al.; Studio "Interpatent", Via Caboto, 35, I-10129 Turin (IT).

(81) Designated States: AT (European patent), AU, BE (European patent), BG, BR, CH (European patent), DÈ (European patent)*, DK (European patent), ES (European patent), FR (European patent), GB (European patent), HU, IT (European patent), JP, LU (European patent), MC, NL (European patent), RO, SE (European patent), SU, US.

Published

With international search report.

(54) Title: AN ACARICIDAL COMPOSITION AND USE THEREOF IN DISINFESTING TREATMENTS

(57) Abstract

The invention relates to a composition that is effective in fighting infestations from mites, particularly against the Varroa Jacobsoni acarus, a honeybees parasite. The composition is constituted by a mixture of elementary sulphur powder, garlic bulbs that have been crushed or reduced to a pulp, ethanol, and in case, dried pepper powder. In a preferred composition the above components are present in weight ratios of 30:30:30:10, respectively. The invention further includes the use of the composition as an acaricidal agent in treatments of disinfestation, as well as the preventive use thereof for prophylaxis purposes.

DESIGNATIONS OF "DE"

Until further notice, any designation of "DE" in any international application whose international filing date is prior to October 3, 1990, shall have effect in the territory of the Federal Republic of Germany with the exception of the territory of the former German Democratic Republic.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	мс	Monaco
AU	Australia	FI	Finland	MG	Madagascar
BB	Barbados	FR	France	ML	Mali
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Fasso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GR	Greece	NL	Netherlands
BJ	Benin	HU	Hungary	NO	Norway
BR	Brazil	π	Italy	RO	Romania
CA	Canada	JP	Japan	SD	Sudan
CF.	Central African Republic	KP	Democratic People's Republic	SR	Sweden
œ	Congo		of Korea	SN	Scnegal
CH	Switzerland -	KR	Republic of Korea	SU	Soviet Union
СМ	Cameroon	u	Liechtenstein	TD	Chad
DB	Germany, Federal Republic of	LK	Sri Lanka .	TC	Togo
DK	Denmark	w	Lexembourg	us	United States of America

AN ACARICIDAL COMPOSITION AND USE THEREOF IN DISINFESTING TREATMENTS

The present invention relates to an acaricidal composition, particularly to a composition that is effective against the Varroa Jacobsoni acarus.

The invention further refers to the use of such a composition in the struggle against mites, both as a pesticidal agent and for prophylaxis purpose.

It is known that the Varroa Jacobsoni acarus, commonly called "varroa", is a vermin of the bees - particularly the Apis mellifica bee - that infests the hives causing heavy economical losses, settling as a preference in the male cells.

The treatments employed to fight the infestation of varroa are either mechanical or chemical.

Mechanical treatments consist in providing the beehives with traps exploiting the mite's preference for the male cells. However positive results are achieved slowly and are not very satisfying since the traps only limit the infestation.

The chemical treatments consist in applying synthetic pesticides. Under these conditions, there exists a toxicity problem for the beekeeper employing the pesticide, as well as a contamination problem of the produced honey, so that sanitary regulations forbid the treatment with such pesticides near the fertility time of the bees and for a certain time thereafter. Therefore the treatment with synthetic pesticides, although employed by many beekeepers, cannot be considered an

effective solution in all respects.

It has now been found a composition that is effective against the Varroa Jacobsoni acarus and against many other kinds of mites, that is not a chemical product obtained by synthesis and therefore does not imply the above mentioned drawbacks of the known products. On the contrary, the composition according to the invention is a mixture of natural products that are well tolerated by the bees, as well as by the other animal or vegetable organisms that are infested by mites, and do no contaminate the honey.

Such acaricidal composition according to the invention is generally made up by a mixture of elementary sulphur, crushed garlic bulbs and ethanol.

Garlic bulbs are obtained by the plant of the genus Allium, more particularly of the species Allium sativum. The bulblets are crushed, milled or more preferably reduced to a pulp to form a mush from which, through the use of ethanol, an alcoholic extract is obtained which contains the garlic active ingredients.

Elementary sulphur is used as a fine powder, preferably in the form known as "wettable ventilated sulphur".

Ethanol is both an active ingredient of the composition and the medium for the solution and the suspension of the other components thereof.

The composition according to the invention contains from 20 to 40% by weight of elementary sulphur, from 15 to 35% by weight of garlic bulbs, the balance being ethanol.

Depending upon the ethanol amount, the composition appears

as a liquid or thick composition which is obtained by mixing the solid components in the liquid medium.

According to another characteristic of the invention, the composition contains also pepper, preferably of the species Capsicum annuum, of sour and piquant varieties, dried and reduced to powder. The amount of dried pepper in the mixture can be between 1 and 15% by weight of the total.

In the preferred embodiment including four components, the composition according to the invention contains from 20 to 40% of elementary sulphur, from 15 to 35% of crushed garlic bulbs, from 1 to 15% of pepper powder, and from 64 to 10% of ethanol, all the components being expressed by weight. The preferred composition contains 30% of elementary sulphur, 30% of garlic bulbs that have been crushed or reduced to a pulp, 30% of 99% by volume ethanol, and 30% of pepper powder, all the components being given by weight.

The composition is prepared by mixing the components in a vessel by means of a mechanical stirrer until it is obtained a sufficientely homogeneous dispersion of the solid parts into the liquid or a paste with a consistency that depends upon the ethanol amount.

Then the composition is applied to the parts that have been infested by the mites, usually by smearing it with a brush.

If the product density so allows, it is possible also a spray application by means of devices that are commonly used for such purposes.

When used against verroa, the composition is smeared over

the side walls, bottom walls and over the cover of each hive, and if necessary the application is repeated until the substantial regress or the disappearance of the infestation.

The exact reasons why the composition is so effective as an acaricide agent have not yet been fully investigated and understood. It is supposed that each component carries out a germicidal and antiseptic action resulting in an overall effect that is as deadly to the mites as harmless to the infested organism, be it the bee or another animal or vegetable organism. The composition according to the invention has been particularly developed against the Varroa Jacobsoni acarus, since this latter causes quite damaging infestations in apiculture. Nevertheless the composition has been experimented also against other parisitic infestations, such as those affecting chickens or rosebushes, in both cases with positive effects.

Therefore the invention also includes the use of the composition as an acaricide agent, particularly against Varroa Jacobsoni acarus.

A few examples illustrating the invention are given hereinbelow.

EXAMPLE 1

In a 250 ml vessel 40 g of double ventilated elementary sulphur and 45 g of 95% by volume ethanol are mixed. 15 g of garlic bulbs are added, in form of bulblets that were deprived of the envelopping membrane, reduced to a pulp in a hydraulic squeezer of stainless steel, aluminum or plastics. Both the juice and the crushed fibrous portion of the garlic are added

to the mixture of sulphur and ethanol. The mixture is then stirred by a mechanical stirrer until a homogeneous suspension is obtained.

The composition is applied by means of a brush over the area infested by the mites. After a few weeks a substantial regress of the infestation was reported.

EXAMPLE 2

In a 250 ml vessel 20 g of double ventilated elementary sulphur, 35 g of garlic bulbs as obtained in example 1, and 45 g of 95% by volume ethanol are mixed. The mixture is stirred. This way it is obtained a suspension suitable to be applied by brushing or spraying over the area infested by the mites.

After a few weeks a substantial regress of the infestation was reported.

EXAMPLE 3

In a 250 ml vessel 20 g of double ventilated elementary sulphur, 30 g of garlic bulbs as obtained in example 1, 45 g of 99% by volume ethanol and 5 g of dried pepper powder (Capsicum annuum) piquant variety are mixed. The mixture is stirred and the resulting suspension is applied by means of a brush over the side walls, the bottom wall and the cover of a hive for breeding Apis mellifica. After three months the hive was inspected and a substantial regress of the infestation was reported.

EXAMPLE 4

In a 250 ml vessel 30 g of double ventilated elementary sulphur, 30 g of crushed garlic bulbs as obtained in example 1, 10 g of dried pepper powder (Capsicum annuum) piquant

variety, and 30 g of 99% by volume ethanol are mixed. The mixture is stirred by means of a mechanical stirrer to a thick consistency.

The composition is applied to a hive for breeding Apis mellifica infested by Varroa Jacobsoni, located in nortwest Italy, by covering both the side walls and the bottom and the cover of the hive. The application was made in the month of June. The hive bottom was 30 x 30 cm. After about three months (at the end of August) the hive was inspected and a number of dead mites between 40,000 and 42,000 was counted on the hive bottom. The hive bottom has been cleaned and the treatment has been repeated using the same composition in the same way as above. After about two months (at the end of October) the hive has been inspected again. About 500 dead mites were counted on the hive bottom. After properly cleaning, the treatment has been applied again with the same composition. After about four months (at the end of February in the following year) the inspection was repeated and a single dead mite was found on the hive bottom. An examination of the bees showed the absence · of the parasite.

The treatment neither influenced the breeding conditions, nor the quality of the produced honey.

The composition can also be used with prophylaxis purposes against the mites, i.e. as a preventive treatment to avoid the infestation.

CLAIMS

- 1. An acaricidal composition comprising sulphur powder, garlic that has been ground or reduced to a pulp, and ethanol.
- 2. A composition as claimed in claim 1, characterized in that the sulphur amount is from 20 to 40% by weight, the garlic bulbs amount is from 15 to 35% by weight, the balance being ethanol.
- 3. A composition as claimed in the preceding claims, characterized in that it further comprises from 1 to 15% by weight of pepper powder.
- 4. A composition as claimed in claim 3, characterized in that it comprises from 20 to 40% of elementary sulphur, from 15 to 35% of crushed garlic bulbs, from 1 to 15% of pepper powder, and from 64 to 10% of ethanol.
- 5. Use of the composition as claimed in anyone of the preceding claims, as an acaricidal composition.
- 6. Use of the composition as claimed in anyone of the claims 1 to 4, as a disinfesting agent against the Varroa Jacobsoni acarus in apiculture.
- 7. A prophylaxis method against the infestation of the Varroa Jacobsoni acarus in apiculture comprising the application to the walls of the hives for bees breeding of a composition according to any of claims 1 to 4.

INTERNATIONAL SEARCH REPORT

International Application No PCT/EP 90/00744

		International Application No PCI	./ DE 30/00/44		
		ssification symbols apply, indicate all) *			
	ent Classification (IPC) or to both F 5/00, //(A 01 N 6	National Classification and IPC 55/00, 65:00, 59:02,	31:02)		
II. FIELDS BEARCHED	Moleum Donn				
lassification System	Minimum Docur	mentation Searched 7 Classification Symbols			
		Classification Symbols			
IPC ⁴	A 01 N				
			8 .		
· · ·		er than Minimum Documentation nte are included in the Fields Searched *			
		-			
II. DOCUMENTS CONSIDE			Relevant to Claim No. 13		
tegory • Citation of Doc	cument, " with indication, where a	ppropriate, of the relevant passages 12	Research to Claim rec.		
	2565782 (A. WEBER 5, see claims 1,4		1-7		
	Abstracts, vol.		1-7		
	Smith et al.: '	•			
		Cetranychus urticae			
	(Acarina: Tetranychidae) on bean				
•	innocuous chemi				
	cicides", see pag cract 94140p	je 129,			
	viron. Entomol.	1974. 3(4).			
697-			1		
			_		
	767616 (J. EIWIE		1-7		
23 D	ecember 1971, se	ee claim 1			
A Chemical	Abstracts vol.	49 no. 14	1-7		
	Chemical Abstracts, vol. 49, no. 14, 25 July 1955 (Columbus, Ohio, US)				
H.U.	H.U. Gubler et al.: "A new remedy				
	ific against aca				
	column 9860f,				
& J.	Suisse Apicult.	50, 193-197(1953)			
considered to be of partic	nersi state of the art which is not cular relevance	"T" later document published efter to repriority date and not in conflicted to understand the principl invention	e or theory underlying the		
"E" earlier document but publi filling date	ished on or after the international	"X" document of particular relevant cannot be considered novel or	ce; the claimed invention cannot be considered to		
"L" document which may thro which is cited to establish	ow doubts on priority claim(s) or h the publication date of another	involve an inventive step .	re: the claimed invention		
citation or other special re	sason (as specified) oral disclosure, use, exhibition or	cannot be considered to involve	or more other such docu-		
other means		ments, such combination being (obvious to a person skilled		
"P" document published prior (later than the priority date	to the international filing date but claimed	"A" document member of the same (patent family		
. CERTIFICATION					
ate of the Actual Completion of	the International Search	Date of Mailing of this International Se	arch Report		
26th July 1990)	, 12. CS. SU			
ternational Searching Authority		Signature of Authorized Officer			
EUROPEAN PAT	TENT OFFICE	1 IU	COTELO		

FURTHER	INFORMATION CONTINUED FROM THE SECOND SHEET	
A	Chemical Abstracts, vol. 49, no. 3, 10 February 1955 (Columbus, Ohio, US) G. Čatár: "Effect of plant extracts on Ixodes Ricinus" see column 2002f, & Bratislav. Lekárské Listy, 34, 1004-1010 (1954)	1-7
A	CH, A, 193276 (O. FIVIAN) 2 May 1938, see the whole document	1-7
V.XI OBSE	RVATIONS WHERE CERTAIN CLAIMS WERE FOUND PARTIALLY SEARC	HART F
		
	onal search report has not been established in respect of certain claims under Article 17(2) (a) to numbers5, 6 because they relate to subject matter not required to be searched by this Autho	-
se	e PCT - article 17 (2) (b)	
	PCT - Rule 39.1 (IV)	•
	•	•
		•
2 Claim n	umbers, because they relate to parts of the international application that do not comply to	with the prescribed require-
. mente f	o such an extent that no meaningful international search can be carried out, specifically:	
	•	·
	umbers because they are dependent claims and are not drafted in accordance with the sec is 6.4(a).	ond and third sentences of
VI: OBSE	RVATIONS WHERE UNITY OF INVENTION IS LACKING 1	
This Internati	onal Searching Authority found multiple inventions in this international application as follows:	
1. As all re	quired additional search fees were timely paid by the applicant, this international search report of	overs all searchable claims
of the in	ternational application.	
As only	some of the required additional search fees were timely paid by the applicant, this international	search report covers only
maga Cr	aims of the International application for which fees were paid, specifically claims:	
No requi	red additional search fees were timely paid by the applicant. Consequently, this international ser	orth connect to constricted to
the inve	ntion first mentioned in the claims; it is covered by claim numbers:	
_		
As all se	archable claims could be searched without effort justifying an additional fee, the international Symmet of any additional fee,	earching Authority did not
Remark on Pri	•	
=	illonal search fees were accompanied by applicant's protest,	
Les brets	et accompanied the payment of additional search fees.	

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

EP 9000744

SA 36521

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 28/08/90

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR-A- 2565782	20-12-85	None	
DE-C- 1767616	23-12-71	None	
CH-A- 193276		None	